

Serial No.: 10/587,265  
Atty. Docket No.: P69471US1

**IN THE SPECIFICATION:**

For the purposes of line numbers referred to herein, lines of text as well as blank lines between paragraphs are counted. Accordingly, the first full paragraph on page 2, for example, is designated herein as beginning at line 8 of the text as originally filed, the second full paragraph on page 2 begins at line 14 of the text as originally filed, and so on.

On page 19, please amend the paragraph beginning on line 5, through the paragraph beginning on line 16, as follows:

--Figure 1: shows a first embodiment of the adhesive element in the shape of a flat plate-like element according to the invention, seen from the side intended for a skin surface. The adhesive surface 4 comprises a first surface 1 and a second surface 2. The first surface is topologically coherent whereas the second surface is topologically incoherent. The second surface and the first surface form a pattern in the shape of dots on the adhesive surface 4. A set of surface properties is different for the first surface and the second surface.

Figure 1a: shows a section along the line A'-A' of the adhesive element shown in ~~Fig 1~~ Figure 1. A first zone 11 comprises

Serial No.: 10/587,265  
Atty. Docket No.: P69471US1

the first surface 1 and a second zone 22 comprises the second surface 2.

Figure 2: shows a second embodiment of the adhesive element according to the invention, seen from the side intended for a skin surface. The adhesive element is in the shape of a flat plate-like element for the manufacture of an ostomy body side member. The adhesive element has a hole 3 for receiving the stoma of the patient. Furthermore the adhesive surface 4 comprises a first surface 1 and a second surface 2. The first surface and the second surface are both topologically incoherent and form a pattern in the shape of rings on the adhesive surface 4. A set of surface properties is different for the first surface and the second surface. Similar embodiments without the hole 3 may be used for other medical applications.

Figure 3: shows a third embodiment of the adhesive element according to the invention, seen from the side intended for a skin surface. The second surface forms a circular pattern wherein the circles are broken.

Figure 4: shows a fourth ~~forth~~ embodiment of the adhesive element according to the invention, seen from the side intended for a skin surface. The first surface 1 and the second surface 2 are

Serial No.: 10/587,265  
Atty. Docket No.: P69471US1

both topologically coherent and tangled to form a pattern in the  
shape of a spiral.--